

Meter Socket Covers



1. Scope

This standard covers the requirements for meter socket covers.

This standard applies to the following Seattle City Light (SCL) stock numbers:

Stock No.	Description
014308	Clear cover with optical port for AX and RX meters
014309	Clear cover with optical port for S4X meters
400204	Gray polycarbonate cover
400310	Clear glass cover
454331	Temporary restoration cover, connects load to left line leg
454332	Temporary restoration cover, connects load to right line leg
014818	Temporary restoration cover, 4-blade, single-phase

2. Application

Meter socket covers are installed on meter sockets to allow viewing, reading, and temporary service.

3. Requirements

Covers shall allow meter viewing without removal and prevent moisture intrusion.

For Stock Nos. 014308 and 014309, covers shall include one optical port only, no demand reset.

Standard Coordinator
Brett Hanson



Standards Engineering Supervisor
John Shipek



Division Director
Tamara Jenkins



4. Packaging

Product shall be packaged to prevent damage during shipping, handling, and inside storage.

Individual packages shall be legibly marked with:

- Manufacturer name
- Manufacturer catalog number
- Product description








Shipping container shall be legibly marked with:

- SCL purchase order number
- SCL stock number

5. Issuance

Stock Unit: EA

6. Approved Manufacturers

Stock No.	Description	Manufacturer Catalog No.		
		Landis+Gyr	Brooks	
014308	Clear cover with optical port for AX and RX meters	72147-4	–	
014309	Clear cover with optical port for S4X meters	M72515-11	–	
400204	Gray shatter-proof polycarbonate cover with UV inhibitor	–	1-6003	
400310	Clear glass cover	M55876	–	
454331	Temporary restoration cover, connects load to left line leg, 320 A, 600 V rated	–	JC-3BL	
454332	Temporary restoration cover, connects load to right line leg, 320 A, 600 V rated	–	JC-3BR	
014818	Temporary restoration cover, 4-blade, single-phase, 320 A, 600 V rated	–	JC-4B-UL	

7. Sources

Brooks Meter Socket Covers Product Data Sheet, Version 6, 2018

Brooks Meter Socket Jumper Covers Product Data Sheet, Version 1, 2018

Hanson, Brett; SCL Standards Engineer and originator of 4960.09

Landis+Gyr; FOCUS AX Product Specification and Schedule Sheet, E330 FOCUS AX, E350 FOCUS AX-SD Single Phase, E330 FOCUS AX Polyphase, 12/21/10