
Superseding: New

Effective Date: October 21, 2022

Page: 1 of 3

# Labels, Printable Shrink Sleeve, Thermomark Printing System



## 1. Scope

This standard covers the requirements for printable shrink sleeve labels used with Phoenix Contact Thermomark Roll 2.0 printers.

This standard applies to the following Seattle City Light (SCL) stock numbers:

Stock No.	Description
014933	Shrink Sleeve Label, 2.1 mm to 6.4 mm Cable Diameter
014934	Shrink Sleeve Label, 4.2 mm to 12.7 mm Cable Diameter
014935	Shrink Sleeve Label, 8.5 mm to 25.4 mm Cable Diameter

## 2. Application

Shrink sleeve printable labels are used to mark cables in substations.

Thermomark Roll 2.0 printers are used to print on the shrink sleeves.

Standard Coordinator

Standards Engineering Supervisor John Shipek

Division Director Andrew Strong

Muneer Shetab John Shipek

Mune La Shekh Goldhil

ACH

Standard Number: **6771.49** 

Seattle City Light MATERIAL STANDARD

Labels, Printable Shrink Sleeve, Thermomark Printing System

Superseding: New

Effective Date: October 21, 2022 Page: 2 of 3

## 3. Requirements

## 3.1 Shrink Sleeve Label, 2.1 mm to 6.4 mm Cable Diameter

Stock No.	014933
Manufacturer	Phoenix Contact
Part No.	0800322
Color	white
Width	10 mm
Length	100 m
Material	Polyolefine
Cable Dia.	2.1 mm to 6.4 mm
Mounting	Slide-on
Storage Condition	23°C/50% relative humidity, store in a dry and dark place in the original packaging

#### 3.2 Shrink Sleeve Label, 4.2 mm to 12.7 mm Cable Diameter

Stock No.	014934
Manufacturer	Phoenix Contact
Part No.	0800325
Color	white
Width	20 mm
Length	80 m
Material	Polyolefine
Cable Dia.	4.2 mm to 12.7 mm
Mounting	Slide-on
Storage Condition	23°C/50% relative humidity, store in a dry and dark place in the original packaging

## 3.3 Shrink Sleeve Label, 8.5 mm to 25.4 mm Cable Diameter

Stock No.	014935
Manufacturer	Phoenix Contact
Part No.	0800327
Color	white
Width	40 mm
Length	60 m
Material	Polyolefine
Cable Dia.	8.5 mm to 25.4 mm
Mounting	Slide-on
Storage Condition	23°C/50% relative humidity, store in a dry and dark place in the original packaging

## 4. Packaging

Product shall be packaged to prevent damage during shipping, handling, and storage. Individual packages shall be legibly marked with:

- Manufacturer name
- Manufacturer catalog number
- Product description
- Seattle City Light Stock No.

Standard Number: **6771.49** Superseding: New Seattle City Light MATERIAL STANDARD

Effective Date: October 21, 2022

Page: 3 of 3

Shipping containers shall be legibly marked with:

- Manufacturer name
- Seattle City Light purchase order number

### 5. Issuance

Stock Unit: FT

Labels, Printable Shrink Sleeve, Thermomark Printing System

## 6. Approved Manufacturers

**Phoenix Contact** 

## 7. Sources

Cohn, Cole; SCL PACE II Relay and subject matter expert for 6771.49

Hughes, Michael; SCL South Stations Coordinator and subject matter expert for 6771.49

Rai, Rajinder; SCL Substation Engineer and subject matter expert for 6771.49

Shetab, Muneer; SCL Standards Engineer, originator, and subject matter expert for

6771.49

www.phoenixcontact.com