Standard Number: 4010.13

Superseding: June 24, 2016 Effective Date: October 5, 2018

Page: 1 of 2

# **Ground Gloves**



# 1. Scope

This standard covers the requirements for ground gloves.

This standard applies to the following Seattle City Light (SCL) stock numbers:

Stock No.	Size	
013954	Small	
013955	Medium	
013956	Large	
013957	X-Large	
013958	2X-Large	

#### 2. Application

Ground gloves are intended primarily for use by those needing cut resistance. They may also benefit members of other trades. Ground gloves are also known as mechanic hybrid gloves.

Ground gloves are **not** appropriate for use as protectors over insulating rubber gloves or for any sort of protection against shock or hazardous voltage.

While ground gloves have a level 2 category rating of arc flash/fire resistance protection, they are **not** appropriate for work with a high arc flash/flame exposure.

# 3. Industry Standards

Ground gloves shall meet the applicable requirements of the following industry standards:

ANSI/ISEA 105-2016; American National Standard for Hand Protection

**ASTM F2675/F2675M-13**; Standard Test Method for Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection

**ASTM F1790 05**; Standard Method for Measuring Cut Resistance of Materials Used in Protective Clothing

Standards Coordinator Laura Vanderpool Standards Supervisor John Shipek Unit Director Andrew Strong

gold fil

ACH

Effective Date: October 5, 2018 **Ground Gloves** Page: 2 of 2

# Requirements

Ground gloves shall be:

- Made from goatskin leather
- Kevlar® fiber by DuPont™ in the palm for cut resistance
- FR Nomex® top of hand
- Arc flash rated at AR/FR 12 (12 cal/cm²)
- Cut resistant rated per ANSI/SEA 105-2016 levels 2 and 3

## **Packaging**

Each standard package shall be legibly marked with the following information:

- Manufacturer identification
- Product description
- SCL stock number
- Quantity contained

Each shipping container shall be legibly marked with the following information:

- Manufacturer identification
- SCL purchase order number

#### 6. Issuance

Stock Unit: PR

# Approved Manufacturer

Youngstown Glove Co.

Stock No.	Description	Size	Catalog No.
13954	Mechanic hybrid glove	Small	12-3270-80-Small
13955	II	Medium	12-3270-80-Medium
13956	II .	Large	12-3270-80-Large
13957	II	X-Large	12-3270-80-XLarge
13958	II	2X-Large	12-3270-80-2XLarge

#### References

www.ytgloves.com

## Sources

Tilley, Kathy; SCL Electrical Engineering support specialist, subject matter expert, and originator of 4010.13 (kathy.tilley@seattle.gov)

Davis, Kevin; Field Safety Operations Manager and subject matter expert for 4010.13 (kevin.davis@seattle.gov)

Vanderpool, Laura; Standards Technical Writer and subject matter expert for 4010.13 (laura.vanderpool@seattle.gov)