

Lamps, Incandescent



1. Scope

This standard covers the requirements for incandescent lamps.

This standard applies to the Seattle City Light (SCL) stock numbers cited in Section 7.

2. Application

Incandescent lamps are used for general lighting, traffic signals, and switchboards.

3. Industry Standards

Incandescent lamps shall meet the applicable requirements of the latest revision of the following industry standards:

ANSI C78.20; American National Standard for Electric Lamps—A, G, PS and Similar Shapes with E26 Medium Screw Bases

ANSI C78.21; American National Standard for Electric Lamps—PAR and R Shapes

ANSI C78.22; American National Standard for Incandescent Lamps—A, G, PS and Similar Shapes with E39 Medium Screw Bases

ANSI C78.23; American National Standard for Specification for Incandescent Lamps – Miscellaneous Types

4. Requirements

Product requirements shall be as defined in Section 7.

Standards Coordinator
Muneer Shetab

Standards Supervisor
John Shipek

Unit Director
Andrew Strong

Muneer Shetab *John Shipek*

Andrew Strong

5. Packaging

Lamps shall be individually packaged to prevent damage during shipping, storage, and casual handling prior to installation.

Quantity of lamps per shipping carton is specified in Section 7.

Lamps shall be shipped in whole cartons only.

Each standard package shall be legibly marked with the following information:

- Manufacturer identification
- Product description
- SCL stock number
- Quantity

Each shipping container shall be legibly marked with the following information:

- SCL purchase order number

6. Issuance

Stock Unit: EA

7. Approved Manufacturers

Stock No.	Description	Manufacturer	Part No.	
730530	125 V, 0.142 W, Bulb Shape T-3-1/4, Miniature Bayonet BA9 Base, Clear Quantity Per Carton: 10	Candela	B2A-I	
		Sylvania	-	
		General Electric	-	
		Westinghouse	-	
730461	125 V, 6 W, Bulb Shape S-6, Candelabra Screw Base, Night Clear Quantity Per Carton: 48	Philips	6S6	
		Sylvania	6S6	
		General Electric	6S6	
		Westinghouse	6S6	
730621	130 V, 15 W, Bulb Shape A-15, Medium Base, A-Frost, Exit Light Quantity Per Carton: 120	Philips	15A15/CL	
		Sylvania	15A15/CL	
		General Electric	15A15/CL	
		Westinghouse	-	
730511	125 V, 90 W, Bulb Shape PAR-38, Medium Skirt Base, Halogen Spotlight Quantity Per Carton: 6	Philips	-	
		Sylvania	-	
		General Electric	90PAR/H/SP10	
		Westinghouse	-	
730673	130V, 100 W, Bulb Shape A-21TS, Medium Base, Clear, Traffic Signal Quantity Per Carton: 120	Philips	100A21/TS	
		Sylvania	-	
		General Electric	-	
		Westinghouse	-	
730519	125 V, 150 W, Bulb Shape R-40, Medium Base, Reflector Flood Light Quantity Per Carton: 24	Philips	120BR/FL60	
		Sylvania	-	
		General Electric	-	
		Westinghouse	-	
730392	125 V, 250 W, Bulb Shape R-40, Medium Base, Reflector Infrared Quantity Per Carton: 4	Philips	250R40/HR	
		Sylvania	-	
		General Electric	-	
		Westinghouse	-	
730631	130 V, 350 W, Bulb Shape PS-30 or PS-35, Mogul Base, Frosted Quantity Per Carton: 12	Philips	300/IF	
		Sylvania	-	
		General Electric	-	
		Westinghouse	-	

8. Sources

candelacorp.com

usa.lighting.philips.com

www.westinghouselighting.com

www.gelighting.com

Shetab, Muneer; SCL Standards Engineer, originator, and subject matter expert for 5722.17 (muneer.shetab@seattle.gov)

Stock Catalog Page 73-30; March 9, 2015