Standard Number: **7633.20**

Superseding: New

Effective Date: February 2, 2019

Page: 1 of 3

Cover-up Systems, Blankets and Accessories



1. Scope

This standard covers the requirements for cover-up systems, blankets and accessories. This standard applies to the Seattle City Light (SCL) stock numbers cited in Section 6.

2. Application

The cover-up systems, blankets and accessories specified in this standard are used to form a barrier from energized lines and parts.

3. Requirements

Product requirements shall be as defined in Section 6.

4. Packaging

Product shall be packaged to prevent damage during shipping, handling, and inside storage.

Cartons or boxes shall be legibly marked with:

- Manufacturer name
- Manufacturer catalog number
- Product description
- SCL stock number

Shipping containers shall be legibly marked with SCL purchase order number.

5. Issuance

Stock Unit: EA

Standards Coordinator Ponet Neuansourinh Standards Supervisor John Shipek Unit Director Andrew Strong

For Hun Sark

goldfil

ACH

Cover-up Systems, Blankets and Accessories

Superseding: New

Effective Date: February 2, 2019 Page: 2 of 3

6. Approved Manufacturers

Cover-Up System

Orange, elastomer, Salisbury extended lip SU cover-up system for use on voltages through 34.5 kV. Class 4, Type II.

| Stock No. | Style | Weight (lb) | Mfr./Product No. | |
|-----------|--|-------------|--------------------|--|
| 012831 | SU system connector, for 2.5 in dia. hose | 3 | Salisbury UC-2 | |
| 012832 | Straight line hose, 2.5 in dia. x 4.5 ft. | 11 | Salisbury SU250-45 | |
| 012833 | Post type insulator cover, fits 2.5 in dia. hose | 8 | Salisbury PTHL | |

Insulator Cover

Orange, elastomer, conventional insulator cover for use on voltages through 26.4 kV. Class 2, insulator cover, for 55-1, 55-2, and 55-3 insulators.

| Stock No. | Weight (lb) | Mfr./Product No. |
|-----------|-------------|------------------|
| 012834 | 5 | Salisbury OFRG |



Line Hose, Insulating, Rubber

Connector end type. Type II. Line hose remains flexible in sub-zero temperatures. Packaged one hose per package.

| Stock No. | Weight (lb) | Mfr./Product No. | |
|-----------|-------------|--------------------|------|
| 763302 | 3 | Salisbury OR100-3C | |
| | | | Comm |



Standard Number: **7633.20**

Seattle City Light MATERIAL STANDARD


Cover-up Systems, Blankets and Accessories

Superseding: New

Effective Date: February 2, 2019 Page: 3 of 3

Blanket, Insulating, Yellow Rubber, 600 V


Insulating yellow rubber blanket, Class 0, Type II, with Velcro fasteners around perimeter.



| Stock No. | Size (in) | Mfr./Prod. No. | |
|-----------|-----------|--------------------|--|
| 763325 | 18 x 18 | Salisbury 1818Y-LV | |
| 763326 | 18 x 36 | Salisbury 836Y-LV | |
| 763327 | 36 x 36 | Salisbury 3636Y-LV | |

Blanket, Insulating, Slotted Style

Insulating slotted black rubber blanket, Class 4, Type II, black, with 28 eyelets. Use for covering ridge pins, cross arms with insulators, or any place a wire, pin or projection interferes with proper placement of other cover-up devices.



| Stock No. | Size (in) | Weight (lb) | Mfr./Prod. No. |
|-----------|-----------|-------------|----------------|
| 012836 | 22 x 22 | 2.5 | Salisbury 15-1 |

Blanket Pin, Clamp

| Stock No. | Jaw Opening (in) | Mfr./Prod. No. |
|-----------|------------------|----------------|
| 582532 | 1.6 | Salisbury #25 |



7. Sources

SCL Stock Catalog page 76-3; April 25, 2018 Neuansourinh, Ponet; SCL Standards Engineer and originator of 7633.20 www.salisburybyhoneywell.com