


Cross-Reference for Canceled Construction Standards



1. Scope

This work practice provides a cross-reference between construction standards that were canceled and subsequently replaced by new standards under a different standard number. Each of these canceled standards was numbered according to the Standards organization's old alphanumeric numbering schema, which is being phased out.

2. Application

This work practice provides a useful reference for those who wish to determine correlations between canceled and related new standards resulting from a major update and renumbering of the original.

3. Introduction

This work practice does not reflect the complete universe of canceled standards and their replacement(s); instead, it is a compilation of the most highly referenced standards by our engineers and crews that have been updated and assigned a standard number in the modern numbering schema.

It is important to note that correlations between old and new standards are often not one-to-one, but instead involve replacing a single standard with multiple standards, such as an additional construction standard, a design standard, or a work practice. Old construction standards often included what today Standards would consider to be information corresponding to a design standard as well as a work practice.

Standards Coordinator
Laura Vanderpool

Standards Supervisor
John Shipek

Unit Director
Andrew Strong

4. Cross-Reference List

| Canceled Standard | Title | Repl. Standard(s) (if applicable) |
|--------------------------|--|--|
| D1-5/NGE-60 | Temperature Conversion Table | Retired |
| D2-1 | Standard Spacing of Arms | 0123 series |
| D2-1.1 | Standard Utility Pole Spacing | 0093.02 |
| D2-1.3 | Cable TV Power Supply Attachments | 0094.01 |
| D2-1.4 | Automated Meter Reading Antenna Pole Attachments | 0095.05 |
| D2-1.5 | Bracket, Communications Cable Attachment | 0093.06 |
| D2-2 | Wire Crossing Clearances | 9072.19 |
| D3-3 | Pole Setting Depth | 0100.01 |
| D3-7 | Wood Guard Post Installation | Retired |
| D4-1 | Standard Crossarms | 5054.10 |
| D9-8.5 | Common Secondary Neutral Deadending Details for Aluminum Neutral Conductor | 0100.00 |
| D9-9 | Rack Secondary Corner Details | 0100.11 |
| D9-11.1 | 4 kV Distribution Deadending Details Single Primary | Retired |
| D9-11.4 | 26 kV Deadends | 0121.05 |
| D9-50 | Bracket, Aluminum Side Arm | Retired |
| D9-51 | 26 kV Construction for 954 Rail | 0123 series |
| D9-52 | 15/26 kV Distribution Crossarm Details | 0123 series |
| D9-53.1 | 26 kV Horizontal Post Construction | 0123 series |
| D9-54 | Typical 26 kV Flying Tap | 0100.21 |
| D9-55 | 26 kV Corner Construction 3-Arm Double Circuit | Retired |
| D9-58 | 26 kV headpin Primary and LR Secondary Construction | 0101.01 |
| D9-59 | Pole Spacing – View Problem for 40-ft Pole | 0103.01, -.03, -.05 |
| D9-60 | 15/26 kV Distribution Single-Phase Corner Construction from 3-Phase Lead | 0100.31 |
| D9-67.1 | 15/26 kV Distribution Corner Pole Details 3-Phase Both Ways | 0123.25 |
| D10-2 | Meter Installation for Load Correlation Study | Retired |
| D10-2.4 | Installation of Transformer and Related Equipment for Testing Voltage on 26 kV | Retired |
| D10-3 | Transformer Installation, Single-Phase, 4 kV | Retired |
| D10-3.1 | Transformer installation, Single-Phase, 15/26 kV | 0125.01 |
| D10-3.3 | Fused Cutout Mounting, Contaminated Atmosphere | 0100.31 |
| D10-4.5 | 15/26 kV Distribution, 2-Transformer, 3-Phase Installation, Cluster Mounted | 0125.02 |
| D10-5 | 15/26 kV Distribution, 3-Phase Transformer Installation, Cluster Mounted | 0125.03 |
| D10-11 | Copper Wire Sizes for Distribution Transformers, Secondary Connections | 0125 series |
| D10-14 | 15/26 kV Capacitor Installation, 1200 kvar Controller Switched Bank, Grd. Wye | Retired |
| D10-14.3 | 15/26 kV Capacitor Installation, 1200 kvar Controller Switched Bank, Floating Wye | Retired |
| D11-3 | 27 kV “Q” Limiter Installation | Retired |
| D8-17 | Switch, 600 A, 3-Pole, Gang-Operated, for Wood Pole Mounting, Upright | 0125.05 |
| D8-19 | 26/34.5 kV Upright Switch, 1200 A | 0125.05 |
| DU10-5.1 | 15/26 kV Distribution, 3-Phase Transformer Installation, Cluster Mounted, Pole Top | Retired |
| DU10-5.2 | 15/26 kV Distribution, Single-Phase Step Down to 2400 V | Retired |
| DU11-1.1 | Fuse Holding Devices and Fuses | 1065.11 |
| U2-11/NDK-10 | Termination in Vault or Handhole | 0222.02 |
| U7-10/NDK-70 | Conduit Risers on Poles | 0224.34 |
| U7-10.1/NDK-80 | Conduit Riser, 600 V, Pole Base Detail | 0224.34 |
| U7-10.2/NDK-90 | Primary Conduit Riser, Pole Base Detail | 0224.34 |
| U7-10.8/NDK-110 | Cable Identification | 0224.34 |
| U7-10.9/NDK-120 | Grounding Conduit Risers on Poles | 0224.34 |
| U10-1.3 | Transformer Pad Construction Residential, Single-Phase, 25 kVA Through 167 kVA | 0652.01 |
| U10-1.5 | Transformer Pad Construction and Grounding, 150 Through 300 kVA, 3-Phase | 0652.05 / 0652.07 |
| U10-2 | Transformer Service Vaults and Padmounts, Customer’s Responsibility, Outside Network Area | U10-7 |
| U10-2.3 | Transformer Service Vault, Below Ground, Outside Network Area | U10-7 |
| U10-6 | Lighting and Sump Pump Installation for Single Transformer Vaults | 0674.06 |
| U11-9.1 | Bus Extensions and Cable Tap Boxes | 0474.08 |
| U12-1.4/NDK-60 | Installation Details for UG Services, Nonmetallic and Rigid Steel Conduit on Prvt. Propty. | 0224.05 |

5. Sources

Vanderpool, Laura; SCL Technical Writer and originator of 0015.10
(laura.vanderpool@seattle.gov)