

## Tools, Carpentry



### 1. Scope

This standard covers the requirements for a variety of carpentry tools.

This standard applies to the following Seattle City Light (SCL) stock numbers:

| Stock No. | Description                      |
|-----------|----------------------------------|
| 764215    | Draw knife, 13-in length         |
| 765015    | Hand saw, 26-in length           |
| 764810    | Nail puller, 19-in length        |
| 760175    | Wrecking bar, 24-in length       |
| 764225    | Putty knife, 1-1/2-in wide blade |

### 2. Application

These tools are used by SCL shops and others.

### 3. Industry Standards

Carpentry tools shall meet the applicable requirements of the latest revision of the following industry standards:

**ANSI/ASME B107.410**; Struck Tools

**ANSI/NPFC A-A-58046**; Saw, Hand, Finger Grip, Survival

### 4. Requirements

Requirements for tools shall be as described in Section 7.

Standard Coordinator  
Ponet Neuansourinh

Standards Supervisor  
Brett Hanson

Division Director  
Bob Risch

Handwritten signature of Ponet Neuansourinh.

Handwritten signature of Brett Hanson.

Handwritten signature of Bob Risch.

## 5. Packaging

Products shall be packaged to prevent damage during shipping, handling, and storage.

Individual packages shall be legibly marked with:

- Manufacturer name
- Manufacturer catalog number
- Product description
- Seattle City Light stock number

Shipping containers shall be legibly marked with:

- Seattle City Light purchase order number

## 6. Issuance

Stock Unit: EA

## 7. Approved Manufacturers

| Stock No. | Description  | Manufacturer      | Part No. |   |
|-----------|--|-------------------|----------|---|
| 764215    | Draw knife, 13 in: <ul style="list-style-type: none"> <li>▪ Straight blade type</li> <li>▪ Hand forged</li> <li>▪ High carbon steel</li> <li>▪ Contoured hardwood handle</li> </ul>                      | Columbus McKinnon | 49951    |   |
| 765015    | Hand saw: <ul style="list-style-type: none"> <li>▪ Crosscut</li> <li>▪ Blade length, 26 in</li> <li>▪ 8 points per inch</li> <li>▪ Carbon steel</li> </ul>   | Stanley           | 15-726   |  |
| 764810    | Nail puller: <ul style="list-style-type: none"> <li>▪ 18-in length</li> <li>▪ Box-joint design</li> <li>▪ Hardened jaw</li> <li>▪ Forged alloy steel</li> <li>▪ Black enamel finish</li> </ul>           | Crescent          | 56       |  |
| 760175    | Wrecking bar: <ul style="list-style-type: none"> <li>▪ 24-in length</li> <li>▪ 3/4-in wide</li> <li>▪ High carbon steel</li> <li>▪ Beveled chisel on one end and slotted claw on opposite end</li> </ul> | Stanley           | 55-124   |  |
| 764225    | Putty knife: <ul style="list-style-type: none"> <li>▪ 1-1/2-in wide blade</li> <li>▪ Rust-resistant, flexible steel blade</li> <li>▪ Wooden handle with nail-setting head</li> </ul>                     | Red Devil         | 4103     |  |

## 8. Sources

Neuansourinh, Ponet; SCL Standards Engineer and originator of 7614.22

SCL Stock Catalog page 76-45; June 27, 2008

[www.apextoolgroup.com](http://www.apextoolgroup.com)

[www.cmworks.com](http://www.cmworks.com)

[www.reddevil.com](http://www.reddevil.com)

[www.stanleytools.com](http://www.stanleytools.com)