


MATERIAL STANDARD**SILCON BRONZE HEX HEAD CAP SCREW****1. Foreword****1.1 Scope**

This material standard covers the requirements for silicon bronze, hex head, cap screws.

1.2 Application

Silicon bronze hardware is used to make up electrical connections. Refer to Construction Guideline D14-4/NSV-20. Silicon bronze hardware is also used in situations where high-strength and corrosion-resistance is desired.

Refer to ASTM F468, Table 2 for tensile strength values.

1.3 Industry Standards

Cap screws shall meet the applicable requirements of the following industry standards:

ASME B18.2.1-1996 - Square and Hex Bolts and Screws (Inch Series)

ASTM F468-03a - Standard Specification for Nonferrous Bolts, Hex Cap Screws, and Studs for General Use

ASME B18.12-2001 - Glossary of Terms for Mechanical Fasteners

2. Fabrication**2.1 Common Requirements**

	Requirements	Reference
Product Name	hex cap screw	ASME B18.12, Section 3.1.2.7
Material	silicon bronze alloy 651	ASTM F468, Tables 1 and 2
Dimensions	per reference	ASME B18.2.1, Table 4
Threads	standard series UNC Class 2A	ASME B18.2.1, Table 4, Note (12)
Minimum Thread Length	per reference	ASME B18.2.1, Table 4, Note (9)

2.2 Marking

Cap screw heads shall be marked according to ASME B18.2.1, Section 2.8.

STANDARDS COORDINATOR

John Shipek

STANDARDS SUPERVISOR

John Barnett

UNIT DIRECTOR

Hardev Juj

MATERIAL STANDARD

Silcon Bronze Hex Head Cap Screw

2.3 Detailed Requirements

Nominal Size, in.	Threads per in.	Length, in.	Stock Number
1/4	20	3/4	784503
		1	784505
		1-1/4	784506
		2	784509
		2-1/2	784511
5/16	18	3/4	784523
		1	784525
		2	784529
		2-1/2	784531
		3	784533
3/8	16	3/4	784543
		1	784545
		1-1/4	784546
		1-1/2	784547
		1-3/4	784548
		2	784549
		2-1/4	784550
		2-1/2	784551
1/2	13	1	784585
		1-1/4	784586
		1-1/2	784587
		1-3/4	784588
		2	784589
		2-1/4	784590
		2-1/2	784591
		3	784593
		4	784595
5/8	11	1	784605
		1-1/2	784607
		2	784609
3/4	10	1-1/2	784627
		2	784629

MATERIAL STANDARD

Silcon Bronze Hex Head Cap Screw

STANDARD NUMBER: **7845.1**

PAGE: 3 of 3

SUPERSEDING: September 7, 2004

EFFECTIVE DATE: July 19, 2006

3. Packaging

Cap screw standard packaging shall be as follows:

Nominal Size, in.	Length, in.	Quantity per Box
1/4	all	50 or 100
5/16, 3/8	all	25 or 50
1/2	all	25 or 50
5/8, 3/4	all	10, 20 or 25

Each standard package shall be legibly marked with the following information:

- Manufacturer's identification
- Product description
- Seattle City Light's Stock Number
- Quantity contained

Each shipping container shall be legibly marked with the following information:

- Manufacturer's identification
- Country of origin
- Product description
- Seattle City Light's Purchase Order Number
- Seattle City Light's Stock Number

4. Shipping

Product shall be shipped to the address specified on the Purchase Order.

5. Issuance

Stock Unit: EA

6. Approved Manufacturers

Seattle City Light Material Control personnel will identify and approve distributors, and hence manufacturers, for this family of products.